

Wed, Aug 23, 1995

V0_RBR

paragr aph_id	rele ase	segm ent	req_titl e	req_ type	req_ cat	funct_s tatus	text	interpr etation
V0- 0010# A	A	SDPS	Genera l	inter face	TBD	TBD	The ECS shall provide two way interoperabi lity to the ESDIS V0 system IMS via Level 3 interoperabi lity.	
V0- 0010# B	B	SDPS	Genera l	inter face	TBD	TBD	The ECS shall provide two way interoperabi lity to the ESDIS V0 system IMS via Level 3 interoperabi lity.	

V0-0020#A	A	CSMS	authentication	interface	TBD	fully met	ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive User Authentication Requests [implementation issue 1].	
V0-0020#B	B	CSMS	authentication	interface	TBD	no new functionality	ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive User Authentication Requests [implementation issue 1].	

V0-0030#A	A	CSMS	authentication	interface	TBD	fully met	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive ECS User Authentication Information [implementation issue 1].	
V0-0030#B	B	CSMS	authentication	interface	TBD	no new functionality	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive ECS User Authentication Information [implementation issue 1].	

V0-0040#A	A	CSMS	authentication	interface	TBD	fully met	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive V0 User Authentication Requests [implementation issue 1].	
V0-0040#B	B	CSMS	authentication	interface	TBD	no new functionality	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive V0 User Authentication Requests [implementation issue 1].	

V0-0050#A	A	CSMS	authentication	interface	TBD	fully met	ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive V0 User Authentication Information [implementation issue 1].	
V0-0050#B	B	CSMS	authentication	interface	TBD	no new functionality	ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive V0 User Authentication Information [implementation issue 1].	

V0-0055#A	A	CSMS	Use of V0 Networks	interface	TBD	TBD	Version 0 shall permit ECS to use agreed upon Version 0 network components and services.	
V0-0055#B	B	CSMS	Use of V0 Networks	interface	TBD	no new functionality	Version 0 shall permit ECS to use agreed upon Version 0 network components and services.	
V0-0060#A	A	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Inventory Search Requests via V0 protocols.	

V0-0060#B	B	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Inventory Search Requests via V0 protocols.	
V0-0070#A	A	SDPS	search and request	interface	TBD	TBD	The ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive Inventory Search Results via V0 protocols.	

V0-0070#B	B	SDPS	search and request	interface	TBD	TBD	The ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive Inventory Search Results via V0 protocols.	
V0-0080#A	A	SDPS	search and request	interface	TBD	fully met	The ECS shall have the capability to send and the ESDIS V0 IMS shall have the capability to receive Guide Search Requests via V0 protocols.	

V0-0080#B	B	SDPS	search and request	interface	TBD	no new functionality	The ECS shall have the capability to send and the ESDIS V0 IMS shall have the capability to receive Guide Search Requests via V0 protocols.	
V0-0090#A	A	SDPS	search and request	interface	TBD	fully met	The ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive Guide Search Results via V0 protocols.	

V0-0090#B	B	SDPS	search and request	interface	TBD	no new functionality	The ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive Guide Search Results via V0 protocols.	
V0-0100#A	A	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and the ESDIS V0 IMS shall have the capability to receive Browse Requests via V0 protocols.	

V0-0100#B	B	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and the ESDIS V0 IMS shall have the capability to receive Browse Requests via V0 protocols.	
V0-0110#A	A	SDPS	search and request	interface	TBD	TBD	The ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive and Browse Results via V0 protocols.	

V0-0110#B	B	SDPS	search and request	interface	TBD	TBD	The ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive and Browse Results via V0 protocols.	
V0-0120#A	A	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Product Requests via V0 protocols.	

V0-0120#B	B	SDPS	search and request	interface	TBD	TBD	The ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Product Requests via V0 protocols.	
V0-0150#A	A	SDPS	search and request	interface	TBD	fully met	ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive Inventory Search Requests via V0 protocols.	

V0-0150#B	B	SDPS	search and request	interface	TBD	no new functionality	ESDIS V0 IMS shall have the capability to send and the ECS shall have the capability to receive Inventory Search Requests via V0 protocols.	
V0-0160#A	A	SDPS	search and request	interface	TBD	fully met	ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Inventory Search Results via V0 protocols.	

V0-0160#B	B	SDPS	search and request	interface	TBD	no new functionality	ECS shall have the capability to send and ESDIS V0 IMS shall have the capability to receive Inventory Search Results via V0 protocols.	
V0-0170#A	A	SDPS	Guide Search Requests from V0	interface	TBD	TBD	V0 ESDIS IMS shall have the capability to send and ECS shall have the capability to receive Guide Search Requests [implementation issue 2].	

V0-0170#B	B	SDPS	Guide Search Requests from V0	interface	TBD	TBD	V0 ESDIS IMS shall have the capability to send and ECS shall have the capability to receive Guide Search Requests [implementation issue 2].	
V0-0180#A	A	SDPS	Guide Search Results to V0	interface	TBD	TBD	The ECS shall have the capability to send and V0 ESDIS IMS shall have the capability to receive Guide Search Results [implementation issue 2].	

V0-0180#B	B	SDPS	Guide Search Results to V0	inter face	TBD	TBD	The ECS shall have the capability to send and V0 ESDIS IMS shall have the capability to receive Guide Search Results [implementation issue 2].	
V0-0190#A	A	SDPS	Browse Requests to V0	inter face	TBD	fully met	V0 ESDIS IMS shall have the capability to send and ECS shall have the capability to receive Browse Requests [implementation issue 2].	

V0-0190#B	B	SDPS	Browse Requests to V0	interface	TBD	no new functionality	V0 ESDIS IMS shall have the capability to send and ECS shall have the capability to receive Browse Requests [implementation issue 2].	
V0-0200#A	A	SDPS	Browse Requests to V0	interface	TBD	TBD	The ECS shall have the capability to send and V0 ESDIS IMS shall have the capability to receive Browse Results [implementation issue 2].	

V0-0200#B	B	SDPS	Browse Requests to V0	interface	TBD	TBD	The ECS shall have the capability to send and V0 ESDIS IMS shall have the capability to receive Browse Results [implementation issue 2].	
V0-0230#A	A	SDPS	search and request	interface	TBD	fully met	The ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive Product Requests via V0 protocols.	

V0-0230#B	B	SDPS	search and request	interface	TBD	no new functionality	The ESDIS V0 IMS shall have the capability to send and ECS shall have the capability to receive Product Requests via V0 protocols.	
V0-0240#A	A	SDPS	Pricing Information	interface	TBD	TBD	ECS and Version 0 shall exchange pricing information, as necessary.	
V0-0240#B	B	SDPS	Pricing Information	interface	TBD	TBD	ECS and Version 0 shall exchange pricing information, as necessary.	

V0-0260-#A <u>V0-0260#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 IMS shall have the capability to send and ECS (GSFC, MSFC, LaRC DAACs) shall have the capability to receive Migration Metadata.	
V0-0260-a#B <u>V0-0260#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 IMS shall have the capability to send and ECS (GSFC, MSFC, LaRC DAACs) shall have the capability to receive Migration Metadata.	

V0-0260-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0-IMS shall have the capability to send and ECS shall have the capability to receive Migration Metadata.	
V0-0270-a#A <u>V0-0270#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS (GSFC, MSFC, LaRC DAACs) shall have the capability to receive Migration Data Products.	

V0-0270-a#B <u>V0-0270#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS (GSFC, MSFC, LaRC DAACs) shall have the capability to receive Migration Data Products.	
V0-0270-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Data Products.	

V0-0280-a#A <u>V0-0280#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Browse Data.	
V0-0280-a#B <u>V0-0280#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Browse Data.	

V0-0280-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Browse Data.	
<u>V0-0290#A</u>	<u>A</u>	<u>SDPS</u>	<u>data migration</u>	<u>interface</u>	<u>TBD</u>	<u>TBD</u>	<u>The DAACs V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Documentation Data.</u>	
V0-0290-b#B <u>V0-0290#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Documentation Data.	

V0-0290-b#C	C	SDPS	data migration	interface	TBD	TBD	The DAACs V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Documentation Data.	
V0-0300-a#A <u>V0-0300#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAAC V0 DADS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Ancillary Data and Correlative Data.	

V0-0300-a#B <u>V0-0300#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAAC V0 DADS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Ancillary Data and Correlative Data.	
V0-0300-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAAC V0 DADS shall have the capability to send and ECS shall have the capability to receive Migration Ancillary Data and Correlative Data.	

V0-0310-a#A <u>V0-0310#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Data Products.	
V0-0310-a#B <u>V0-0310#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Data Products.	

V0-0310-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS shall have the capability to receive Migration Data Products.	
V0-0320-a#A <u>V0-0320#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Browse Data.	

V0-0320-a#B <u>V0-0320#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Browse Data.	
V0-0320-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Browse Data.	

V0-0330-a#A <u>V0-0330#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Metadata.	
V0-0330-a#B <u>V0-0330#B</u>	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Metadata.	

V0-0330-b#B	B	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS shall have the capability to receive Migration Metadata.	
V0-0331-a#A <u>V0-0331#A</u>	A	SDPS	data migration	interface	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Data Products according to the agreed schedule.	

V0-0331-a#B <u>V0-0331#B</u>	B	SDPS	data migration	inter face	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability to receive Migration Data Products according to the agreed schedule.	
V0-0331-b#B	B	SDPS	data migration	inter face	TBD	TBD	The DAACs V0 PGS shall have the capability to send and ECS shall have the capability to receive Migration Data Products according to the agreed schedule.	

V0-0340-a#A <u>V0-0340#A</u>	A	SDPS	data migration	interface	TBD	fully met	The ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability of ingesting migration data in the following data format (s): a. HDF b. native format c. TBD	
V0-0340-a#B <u>V0-0340#B</u>	B	SDPS	data migration	interface	TBD	no new functionality	The ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability of ingesting migration data in the following data format (s): a. HDF b. native format c. TBD	

V0-0340-b#B	B	SDPS	data migration	interface	TBD	TBD	The ECS shall have the capability of ingesting migration data in the following data format (s): a. HDF b. native format c. TBD	
V0-0350-a#A <u>V0-0350#A</u>	A	SDPS	data migration	interface	TBD	TBD	The ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability of receiving data products from the DAAC(s) V0 system on the following media: a. CD-ROM b. 4mm tape c. 8mm tape d. 6250 bpi magnetic tape e. electronic transfer	

<p>V0-0350-a#B</p> <p><u>V0-0350#B</u></p>	B	SDPS	data migration	interface	TBD	TBD	<p>The ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability of receiving data products from the DAAC(s) V0 system on the following media:</p> <ul style="list-style-type: none"> a. CD-ROM b. 4mm tape c. 8mm tape d. 6250 bpi magnetic tape e. electronic transfer 	
--	---	------	----------------	-----------	-----	-----	--	--

V0-0350-b#B	B	SDPS	data migration	interface	TBD	TBD	The ECS (GSFC, MSFC, and LaRC DAACs) shall have the capability of receiving data products from the DAAC(s) V0 system on the following media: a. CD-ROM b. 4mm tape c. 8mm tape d. 6250 bpi magnetic tape e. electronic transfer	
V0-0360-a#A <u>V0-0360#A</u>	A	SDPS	data migration	interface	TBD	TBD	The ECS (GSFC, MSFC, and LaRC DAACs) and DAAC(s) shall have the capability to exchange Migration Coordination messages [implementation issue 3].	

V0-0360-a#B <u>V0-0360#B</u>	B	SDPS	data migration	interface	TBD	TBD	The ECS (GSFC, MSFC, and LaRC DAACs) and DAAC(s) shall have the capability to exchange Migration Coordination messages [implementation issue 3].	
V0-0360-b#B	B	SDPS	data migration	interface	TBD	TBD	The ECS and DAAC(s) shall have the capability to exchange Migration Coordination messages [implementation issue 3].	
V0-0370#A	A	SDPS	data migration	interface	TBD	fully met	The DAAC(s) shall have the capability to send and ECS shall have the capability to receive Advertising Information [implementation issue 6].	

V0-0370#B	B	SDPS	data migration	interface	TBD	no new functionality	The DAAC(s) shall have the capability to send and ECS shall have the capability to receive Advertising Information [implementation issue 6].	
V0-0380#A	A	SDPS	data migration	interface	TBD	TBD	ECS shall have the capability to send and the ESDIS IMS team shall have the capability to receive Dependent Valid Information.	

V0-0380#B	B	SDPS	data migration	interface	TBD	TBD	ECS shall have the capability to send and the ESDIS IMS team shall have the capability to receive Dependent Valid Information.	
-----------	---	------	----------------	-----------	-----	-----	--	--